

Предупредительная подсветка для погрузчиков от производителя Waytrionic



Такая подсветка вокруг погрузчика важный элемент для обеспечения безопасности персонала, который работает в зоне движения транспорта.

Подсветка может указывать направление движения транспорта или определять безопасное расстояние на которое можно приблизится. Так же помогает заметить движущийся погрузчик в узком пространстве при повороте или в плохо освещенном помещении.



LED Power : 20w 20w*1pcs Osram

- 20w high intensity LEDs
- 30000 hours above life time
- Emitting Color: Red/ Blue/ Green optional



Статус компании года и официальное сотрудничество со всеми партнерами гарантирует нашим клиентам сервис на наивысшем уровне.













ООО «ГЛЕБУС ЛЛС»
тел: +38 095 941 52 38; +38 063 447 24 31
email: glebus@glebus-llc.com.ua; ah@glebus-llc.com.ua
адрес: ул. Радунская, 30, этаж 27, 02097, г. Киев
www.glebus-llc.com.ua



ООО «ГЛЕБУС ЛЛС»
 тел: +38 095 941 52 38; +38 063 447 24 31
 email: glebus@glebus-llc.com.ua; ah@glebus-llc.com.ua
 адрес: ул. Радунская, 30, этаж 27, 02097, г. Киев
 www.glebus-llc.com.ua

| Item | Product Name | Model | Image | Description |
|------|---------------------------------------|--------|---|--|
| 1 | Forklift warning light (Spotlight) | SF-930 |  | *LED power: 2pcs * 5W *Input voltage: 10-80v DC *Protection grade: IP67 *Color: Red / blue *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |
| 2 | Forklift warning light (Spotlight) | SF-935 |  | *LED power: 9pcs * 5W *Input voltage: 10-80v DC *Protection grade: IP67 *Color: Red / Blue / white *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |
| 3 | Forklift warning light (Beam light) | SF-931 |  | *LED power: 6pcs * 5W *Input voltage: 10-80VDC *Protection grade: IP67 *Color: Red / blue *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |
| 4 | Forklift warning light (Beam light) | SF-934 |  | *LED power: 9pcs * 5W *Input voltage: 10-80v DC *Protection grade: IP67 *Color: Red / blue *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |

| Item | Product Name | Model | Image | Description |
|------|---|--------|---|--|
| 5 | Forklift warning light (Arrow light) | SF-932 |  | <ul style="list-style-type: none"> *LED power: 9pcs * 2W *Input voltage: 10-80v DC *Protection grade: IP67 *Color: Red / Blue / Green *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |
| 6 | Forklift warning light (Arrow light) | SF-933 |  | <ul style="list-style-type: none"> *LED power: 1pcs * 20W *Input voltage: 10-80v DC *Protection grade: IP67 *Color: Red / Blue / Green *Working temperature: - 40 °C - 60 °C *Service life: over 30000h *Material: die casting aluminum shell, stainless steel bracket  |
| 7 | Crane warning light (Spotlight/Beam light) | SF-936 |  <p>SF-931 (点光)</p> <p>SF-931 (束光)</p> | <ul style="list-style-type: none"> *LED power: 12pcs * 5W *Input voltage: 9-48v DC *Protection grade: IP68 *Color: Red / Blue / white *Working temperature: - 40 °C - 60 °C *Service life: over 50000h *Material: die casting aluminum shell, stainless steel bracket   |
| 8 | Crane warning light (Spotlight/Beam light) | SF-937 |  <p>SF-937 (点光)</p> <p>SF-937 (束光)</p> | <ul style="list-style-type: none"> *LED power: 12pcs * 5W *Input voltage: 9-48v DC *Protection grade: IP68 *Color: Red / Blue / white *Working temperature: - 40 °C - 60 °C *Service life: over 50000h *Material: die casting aluminum shell, stainless steel bracket   |